



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/731,850	12/09/2003	Homero L. Guimaraes	1280-SC12863ZC	4424

34814 7590 12/18/2007
LARSON NEWMAN ABEL POLANSKY & WHITE, LLP
5914 WEST COURTYARD DRIVE
SUITE 200
AUSTIN, TX 78730

EXAMINER

FLORES, LEON

ART UNIT	PAPER NUMBER
----------	--------------

2611

MAIL DATE	DELIVERY MODE
-----------	---------------

12/18/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/731,850	Applicant(s) GUIMARAES, HOMERO L.	
	Examiner Leon Flores	Art Unit 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 October 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 7-10 and 14-16 is/are rejected.
- 7) ☒ Claim(s) 4-6, 11-13, 17-20 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 10/29/2007 have been fully considered but they are not persuasive.

Response to Remarks

Obviousness Rejection of Claims 1-3, 7 and 16

Applicant asserts that "Nonoyama discloses that the application of the offset voltage to a capacitor and the transfer of the capacitor charge to an integrator occur in two separate phases. In contrast, claim 1 as amended recites that the second set of switches is configured to transfer charge from a pair of capacitors during the same phase in which an offset voltage is applied to the capacitor pair".

The examiner respectfully disagrees. Tthe examiner does not see the advantage of this event occurring in different phases as oppose to this event occurring in the same phase if the objective is to provide offset compensation

Claim 7

Applicant asserts that "claim 7 recites "a second set of switches..., configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component and based on a voltage applied in series with the pair of capacitors during the second phase." As explained above, the cited references fail to disclose or suggest these elements".

The examiner respectfully disagrees. What claim is applicant referring to?

Claim 16

Applicant asserts that "Nonoyama does not disclose applying a voltage in series with a pair of capacitors to provide the DC offset correction charge during the same phase as the sum charge is transferred to an integrator".

The examiner respectfully disagrees. If the objective is to provide offset compensation, the examiner does not see the advantage of this event occurring in different phases as oppose to this occurring in the same phase.

Obviousness Rejection of Claims 4-6, 8, 17 and 18

Applicant asserts that "the DAC of Ferguson provides a reference voltage. However, the DAC recited in claim 5 provides the second charge, which as recited in claim 1 is proportional to a DC offset".

The examiner agrees. The examiner has objected to this claim.

Obviousness Rejection of Claims 9 and 10

See claim 1 above. Furthermore, claims 9 & 10 don't depend on claim 7.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. **Claims (1-3, 7, 14 & 16) are rejected under 35 U.S.C. 103(a) as being unpatentable over Baird (US Patent 6,204,787 B1) in view of Nonoyama et al. (hereinafter Nonoyama) (US Patent 6,529,015)**

Re claim 1, Baird discloses a sigma delta converter comprising: an integrator circuitry including an integrator input and an integrator output, wherein an input signal coupled to the integrator input has an input AC voltage component and a DC offset component (In Baird, see fig. 7A: 706 & 707, col. 7, lines 48-50); a pair of capacitors coupled to the integrator input (In Baird, see fig. 7A: 707a & 707b); a first set of switches coupled to the pair of capacitors, the first set of switches configured to transfer a first charge to the pair of capacitors during a first phase, the first charge proportional to a reference voltage (In Baird, see fig. 7B & col. 7, lines 59-61); and a second set of switches coupled between the pair of capacitors and the integrator input. (In Baird, see fig. 7B: 712a 712b)

But the reference of Baird fails to specifically teach that the second set of switches configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component and based on a voltage applied in series with the pair of capacitors during the second phase.

However, Nonoyama does. (See fig. 1: elements 3, 4, 5 & col. 6, line 18 – col. 7, line 6) In the same field of endeavor, Nonoyama discloses a second set of switches (switches a) configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component.

Therefore, taking the combined teachings of Baird and Nonoyama as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated theses features into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

The combination of Baird and Nonoyama discloses the limitations as claimed above, except they fail to explicitly teach that the second charge is based on a voltage applied in series with the pair of capacitors during the second phase.

However, the reference of Nonomaya does teach charging and transferring the offset voltage in two different phases. The examiner does not see the advantage of this event occurring in different phases as oppose to this occurring in the same phase, if the objective is to provide offset compensation.

Therefore, it would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

Re claim 2, the combination of Baird and Nonoyama further discloses the sigma delta converter, as recited in claim 1, further comprising: a comparator coupled to the integrator circuitry output, the comparator including a comparator output. (In Baird, see fig. 4B)

Re claim 3, the combination of Baird and Nonoyama further discloses the sigma delta converter, as recited in claim 1, wherein the integrator circuitry comprises N integrators coupled in series forming an Nth-Order sigma delta loop filter, each of the N integrators having a first input, a second input, a first output and a second output, each of the N integrators having a first integrator capacitor coupled to the first input and the first output and a second integrator capacitor coupled to the second input and the second output. (In Baird, see fig. 4B & col. 6, lines 33-37)

Re claim 7, the combination of Baird and Nonoyama further discloses the sigma delta converter, as recited in claim 1, wherein the integrator is a continuous time integrator. (In Baird, see fig. 4B & col. 6, lines 34-37. Furthermore, since the signal is being integrated three times the signal is converted to digital until the last stage of the 3rd order modulator by an ADC.)

Claim 14 has been analyzed and rejected w/r to claim 7 above.

Re claim 16, the motivation for combining these two references has already been established in claim 1 above, therefore, the combination of Baird and Nonoyama further discloses a method comprising: during a first phase, charging a pair of capacitors to a reference charge (In Baird, see fig. 7B & col. 7, lines 59-61); during a second phase, applying a voltage in series with the pair of capacitors to provide a DC offset correction charge (This limitation has been analyzed and rejected in claim 1 above); during the second phase, transferring a sum charge via the pair of capacitors to inputs of a first integrator (In Nonoyama, see col. 6, line 18 – col. 7, line 6) in a series of integrators in a sigma delta converter (In Baird, see fig. 4B), the sum charge including the reference charge and the DC offset correction charge. (In Nonoyama, see col. 6, line 18 – col. 7, line 6)

4. Claims (8 & 15) are rejected under 35 U.S.C. 103(a) as being unpatentable over Baird (US Patent 6,204,787 B1) and Nonoyama et al. (hereinafter Nonoyama) (US Patent 6,529,015), as applied to claim 1 above, and further in view of Ferguson, Jr. et al (hereinafter Ferguson) (US Patent 6,040,793)

Re claim 8, the combination of Baird and Nonoyama fails to explicitly teach that wherein the integrator is a discrete time integrator.

However, Ferguson does. (See col. 1, lines 50-56) Ferguson discloses the integrator is a discrete time integrator. Furthermore, the output of the integrator clocked, latched comparator.

Therefore, taking the combined teachings of Baird, Nonoyama, and Ferguson as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated these features into the system of Baird, as modified by Nonoyama, in the manner as claimed and as taught by Ferguson, for the benefit of providing compensation.

Claim 15 has been analyzed and rejected w/r to claim 8 above.

Claims (9-10) are rejected under 35 U.S.C. 103(a) as being unpatentable over Baird (US Patent 6,204,787 B1) in view of Nonoyama et al. (hereinafter Nonoyama) (US Patent 6,529,015), and further in view of Bazarjani et al. (hereinafter Bazarjani) (US Patent 6,005,506)

1. Re claim 9, Baird discloses a radio frequency (RF) signal receive path comprising: an integrator circuitry including an integrator input and an integrator output, wherein an input signal coupled to the integrator input has an input AC voltage component and a DC offset component (In Baird, see fig. 7A: 706 & 707, col. 7, lines 48-50); a pair of capacitors coupled to the integrator input (In Baird, see fig. 7A: 707a & 707b); a first set of switches coupled the pair of capacitors, the first set of switches configured to transfer a first charge to the pair of capacitors during a first phase, the first

charge proportional to a reference voltage (In Baird, see fig. 7B & col. 7, lines 59-61); and a second set of switches coupled to the pair of capacitors. (In Baird, see fig. 7B: 712a 712b)

But the reference of Baird fails to specifically teach that the second set of switches configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component and based on a voltage applied in series with the pair of capacitors during the second phase.

However, Nonoyama does. (See fig. 1: elements 3, 4, 5 & col. 6, line 18 – col. 7, line 6) In the same field of endeavor, Nonoyama discloses a second set of switches (switches a) configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component.

Therefore, taking the combined teachings of Baird and Nonoyama as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated theses features into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

The combination of Baird and Nonoyama discloses the limitations as claimed above, except they fail to explicitly teach that the second charge is based on a voltage applied in series with the pair of capacitors during the second phase.

However, the reference of Nonomaya does teach charging and transferring the offset voltage in two different phases. Furthermore, the examiner does not see the

advantage of this event occurring in a different phase as oppose to this event occurring in the same phase if the objective is to provide offset compensation.

Therefore, it would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

The combination of Baird and Nonoyama discloses the limitations as claimed above, except they fail to specifically teach an intermediate frequency amplifier (IFA) including an IFA output; a plurality of anti-aliasing filters (AAFs) coupled to the IFA output, the AAFs having an AAF output; and a sigma delta converter coupled to the AAF output.

However, Bazarjani does. (See fig. 6 & col. 13, lines 41-61) Bazarjani discloses an intermediate frequency amplifier (IFA) including an IFA output (2426), a plurality of anti-aliasing filters (AAFs) coupled to the IFA output, the AAFs having an AAF output (2430a & 2430b); and a sigma delta converter coupled to the AAF output. (2440a & 2440b)

Therefore, taking the combined teachings of Baird, Nonoyama, and Bazarjani as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated theses features into the system of Baird, as modified by Nonoyama, in the manner as claimed and as taught by Bazarjani, for the benefit of providing gain control, match filtering and/or anti-alias filtering, and to produce digitized baseband samples.

Re claim 10, the combination of Baird, Nonoyama, and Bazarjani further discloses the RF signal receive path, as recited in claim 9, wherein the integrator circuitry comprises N integrators coupled in series forming an Nth-Order sigma delta converter, each of the N integrators having a first input, a second input, a first output and a second output, each of the N integrators having a first integrator capacitor coupled to the first input and the first output and a second integrator capacitor coupled to the second input and the second output. (In Baird, see fig. 4B & col. 6, lines 33-37)

5. Claims (1 & 16) are rejected under 35 U.S.C. 103(a) as being unpatentable over Ferguson, Jr. et al (hereinafter Ferguson) (US Patent 6,040,793) in view of Nonoyama et al. (hereinafter Nonoyama) (US Patent 6,529,015)

Re claim 1, Ferguson discloses a sigma delta converter comprising: an integrator circuitry including an integrator input and an integrator output, wherein an input signal coupled to the integrator input has an input AC voltage component and a DC offset component (See fig. 2); a pair of capacitors coupled to the integrator input (See fig. 2: C4 & C5); a first set of switches coupled to the pair of capacitors, the first set of switches configured to transfer a first charge to the pair of capacitors during a first phase, the first charge proportional to a reference voltage (See fig. 2: S13 & S16 & col. 6, lines 57-62); and a second set of switches coupled between the pair of capacitors and the integrator input (See fig. 2: S9, S10, S11, S12).

But the reference of Baird fails to specifically teach that the second set of switches configured to transfer the first charge and a second charge to the integrator

input during a second phase, the second charge proportional to the DC offset component and based on a voltage applied in series with the pair of capacitors during the second phase.

However, Nonoyama does. (See fig. 1: elements 3, 4, 5 & col. 6, line 18 – col. 7, line 6) In the same field of endeavor, Nonoyama discloses a second set of switches (switches a) configured to transfer the first charge and a second charge to the integrator input during a second phase, the second charge proportional to the DC offset component.

Therefore, taking the combined teachings of Baird and Nonoyama as a whole. It would have been obvious to one of ordinary skills in the art to have incorporated theses features into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

The combination of Baird and Nonoyama discloses the limitations as claimed above, except they fail to explicitly teach that the second charge is based on a voltage applied in series with the pair of capacitors during the second phase.

However, the reference of Nonomaya does teach charging and transferring the offset voltage in two different phases. Furthermore, the examiner does not see the advantage of this event occurring in a different phase as oppose to this event occurring in the same phase if the objective is to provide offset compensation.

Therefore, it would have been obvious to one of ordinary skills in the art to have incorporated this feature into the system of Baird, in the manner as claimed and as taught by Nonoyama, for the benefit of providing offset compensation.

Re claim 16, the motivation for combining these two references has already been established in claim 1 above, therefore, the combination of Fergusson and Nonoyama further discloses a method comprising: during a first phase, charging a pair of capacitors to a reference charge (In Ferguson, see fig. 2: S13 & S16 & col. 6, lines 57-62); during a second phase, applying a voltage in series with the pair of capacitors to provide a DC offset correction charge (This limitation has been analyzed and rejected in claim 1 above); during the second phase, transferring a sum charge via the pair of capacitors to inputs of a first integrator (In Nonoyama, see col. 6, line 18 – col. 7, line 6) in a series of integrators in a sigma delta converter (In Ferguson, see col. 2, lines 44-45), the sum charge including the reference charge and the DC offset correction charge. (In Nonoyama, see col. 6, line 18 – col. 7, line 6)

Allowable Subject Matter

6. Claims (4-6, 11-13, 17-18) are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.


Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leon Flores whose telephone number is 571-270-1201. The examiner can normally be reached on Mon-Fri 7-5pm Alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Payne can be reached on 571-272-3024. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LF
December 10, 2007


DAVID C. PAYNE
SUPERVISORY PATENT EXAMINER